

- INSTRUCTIONS:**
- **Complete all relevant sections on page 1.** Inform your patient their SP will call to process their Rx.
  - **Complete the Standard Rx (pages 2 and 3) or the Voucher Rx (pages 3 and 4).** If only a Voucher Rx is submitted, a Standard Rx will be needed at a later date if you and your patient wish to continue therapy beyond the initial 28-day voucher period.
  - **Fax the form and signed supporting documents** to your selected SP (cover sheet provided).

**PATIENT INFORMATION**

Patient Name (first, MI, last)

Email

 Home  
Cell  
Work

 Home  
Cell  
Work

**HOME ADDRESS**

Phone

Alternate Phone

City

State

Zip

 Preferred contact: ☐ Phone ☐ Email

 Best time to call: ☐ Morning ☐ Afternoon ☐ Night

Date of Birth (mm/dd/yyyy)

 Gender: ☐ Male ☐ Female

**CAREGIVER Name**

Caregiver Phone

 Home  
Cell  
Work

Alternate Phone

 Home  
Cell  
Work

 Preferred contact: ☐ Phone ☐ Email

 Best time to call: ☐ Morning ☐ Afternoon ☐ Night

Caregiver Email

**PRESCRIBER INFORMATION**

Prescriber Name (first, MI, last)

NPI #

State License #

Tax ID #

Office / Clinic / Institution Name

Office Contact Name

Address

Office Contact Email

City

State

Zip

Phone

Fax

 Preferred method of communication: ☐ Phone ☐ Email ☐ Fax

**INSURANCE INFORMATION**

(Not required if only requesting a Voucher Prescription on page 4)

Pharmacy Benefits Manager

**Please include copies of the front and back of all  
patient's medical and prescription insurance cards.**
**PRIMARY Medical Insurance Carrier**
**SECONDARY Medical Insurance Carrier**

Policyholder Name

Policyholder Name

Policy ID Number

Group Number (if applicable)

Policy ID Number

Group Number (if applicable)

Medical Insurance Phone

Relationship to Policyholder

Medical Insurance Phone

Relationship to Policyholder

## Standard Prescription

### STANDARD PRESCRIPTION INFORMATION

#### YUTREPIA™ (treprostinil) inhalation powder

**Starting Dose:** \_\_\_\_\_ mcg      **Target Dose:** \_\_\_\_\_ mcg

**Dispense:**

28-day supply, 1-year refills **OR** ☐ \_\_\_\_\_ day supply, \_\_\_\_\_ refills

**Frequency:**

Two (2) breaths per capsule, four (4) times daily **OR**

☐ Two (2) breaths per capsule, \_\_\_\_\_ times daily

**Titration (as tolerated, to target dose):**

Increase by 26.5 mcg, every week **OR**

☐ Increase by \_\_\_\_\_ mcg, every \_\_\_\_\_ week(s) / \_\_\_\_\_ days

**NDC(s) Prescribed**

SP will dispense  
the prescribed dose  
per labeled NDC  
combinations.

**Included NDCs in this prescription:**

26.5 mcg (72964-011-01)  
53 mcg (72964-012-01)  
79.5 mcg (72964-013-01)  
106 mcg (72964-014-01)

#### DOSE COMPARISON

Tyvaso® (Nebulized) QID Breaths	YUTREPIA™ QID Dose (mcg)	YUTREPIA™ Capsule Combination (mcg)
≤5	26.5	<b>26.5</b>
≥6 and ≤8	53	<b>53</b>
≥9 and ≤11	79.5	<b>79.5</b>
≥12 and ≤14	106	<b>106</b>
≥15 and ≤17	132.5	<b>53</b> + <b>79.5</b>
~18	159	<b>79.5</b> + <b>79.5</b>
~21	185.5	<b>79.5</b> + <b>106</b>
~24	212	<b>106</b> + <b>106</b>

SP will confirm labeled combinations to meet prescribed dose.

### NURSING ORDERS

SP home health nurse visit(s) to teach and assess the self-administration of YUTREPIA, including dosing, titration, and side effect management.

☐ Decline Nursing Services

### STATEMENT OF MEDICAL NECESSITY

I certify that the therapy ordered above is medically necessary and that I am personally supervising the care of this patient.

Prescriber Full Name (print)

Dispense As Written (DAW) / Brand Medically Necessary / No Substitution / May Not Substitute / Do Not Substitute

Substitution Permitted / May Substitute / Product Selection Permitted

**SIGN  
HERE**

\_\_\_\_\_  
Prescriber Signature\*

\_\_\_\_\_  
Prescriber Signature\*

Date

**CA, MA, NC & PR:** Interchange is mandated unless Prescriber writes the words "No Substitution": \_\_\_\_\_

**ATTN: New York and Iowa providers, please submit electronic prescription.**

\*Prescriber attests that this is his/her legal signature.

**NO STAMPS. PRESCRIPTIONS MUST BE FAXED.**

**NOTE:** The responsibility to determine coverage and reimbursement parameters, and appropriate coding for a particular patient and/or procedure, is the responsibility of the provider. The information provided here is not a guarantee of coverage or reimbursement.

**PATIENT EVALUATION**
**Patient Status:**

- ☐ Outpatient  
☐ Inpatient

**YUTREPIA™ Status:**

- ☐ Naïve / New  
☐ Restart  
☐ Transition

**WHO Group:**

- ☐ Group 1 (PAH)  
☐ Group 3 (PH-ILD)  
☐ Groups 1 and 3

**WHO Group 1 (PAH)**
**NYHA Functional Class:**

- ☐ I ☐ II ☐ III ☐ IV

**Allergies:**

- ☐ No known drug allergies (NKDA)  
☐ Yes (specify): \_\_\_\_\_

**Current Medications (list all):**
**TRANSITION STATEMENT**
**(if applicable)**

It is necessary for this patient to transition

from:

to:

Please provide justification for this transition.

**MEDICAL INFORMATION**

**REQUIRED:** Please select the relevant ICD-10 codes below or enter a different one if needed. Listed codes do not imply approval, coverage, or reimbursement for specific uses or indications.

**PAH ICD-10 I27.0 Primary pulmonary hypertension**

- ☐ Idiopathic PAH ☐ Heritable PAH

**ICD-10 I27.21 Secondary pulmonary arterial hypertension**

- ☐ Connective tissue disease ☐ Congenital heart disease  
☐ Drugs/Toxins induced ☐ Portal hypertension  
☐ HIV

☐ **Other**

ICD-10: Code \_\_\_\_\_ Description \_\_\_\_\_

**PH ☐ ICD-10 I27.23 Pulmonary hypertension due to lung diseases and hypoxia**
☐ **Other**

ICD-10: Code \_\_\_\_\_ Description \_\_\_\_\_

**ILD IIP:**

- ☐ ICD-10 J84.10 Pulmonary fibrosis, unspecified  
☐ ICD-10 J84.11 Idiopathic interstitial pneumonia, NOS  
☐ ICD-10 J84.12 Idiopathic pulmonary fibrosis

**CTD-related ILD:**

- ☐ ICD-10 M34.81 Systemic sclerosis with lung involvement

**Environmental/Occupational Lung Disease:**

- ☐ ICD-10 J61 Pneumoconiosis due to asbestos and other mineral fibers  
☐ ICD-10 J67.9 Hypersensitivity pneumonitis due to unspecified dust

**Other causes:**

- ☐ ICD-10 J17 Pneumonia in disease classified elsewhere

**TREATMENT HISTORY**
**Please indicate treatment history**

 Adempas® (riociguat) Tablets ☐ Current ☐ Discontinued

 Flolan® (epoprostenol sodium) for Injection ☐ Current ☐ Discontinued

 Letairis® (ambrisentan) Tablets ☐ Current ☐ Discontinued

 Opsumit® (macitentan) Tablets ☐ Current ☐ Discontinued

 Opsyvi® (macitentan/tadalafil) ☐ Current ☐ Discontinued

 Orenitram® (treprostinil) Extended-Release Tablets ☐ Current ☐ Discontinued

 PDE-5i (specify drugs): ☐ Current ☐ Discontinued

 Remodulin® (treprostinil) Injection ☐ Current ☐ Discontinued

 Tracleer® (bosentan) Tablets ☐ Current ☐ Discontinued

 Tyvaso® (treprostinil) Inhalation Solution ☐ Current ☐ Discontinued

 Tyvaso DPI® (treprostinil) Inhalation Powder ☐ Current ☐ Discontinued

 Upravi® (selexipag) Tablets ☐ Current ☐ Discontinued

 Veletri® (epoprostenol) for Injection ☐ Current ☐ Discontinued

 Winrevair™ (sotatercept-csrk) for Injection ☐ Current ☐ Discontinued

 Other: ☐ Current ☐ Discontinued

## Voucher Prescription

 See full program requirements and conditions at [www.Yutrepia.com/Voucher](http://www.Yutrepia.com/Voucher)

The YUTREPIA Voucher Program provides a one-time, 28-day supply, of free product to eligible patients to help them determine whether YUTREPIA is the right choice for them. Using the Voucher Rx does not require ongoing use of YUTREPIA with a Standard Rx.

### VOUCHER PRESCRIPTION INFORMATION

#### YUTREPIA™ (treprostinil) inhalation powder

**Starting Dose:** \_\_\_\_\_ mcg      **Target Dose:** \_\_\_\_\_ mcg

**Dispense:** 28-day supply, 0 refills

**Frequency:** Two (2) breaths per capsule, four (4) times daily **OR**  
☐ Two (2) breaths per capsule, \_\_\_\_\_ times daily

**Titration:** (as tolerated, to target dose) Increase by 26.5 mcg, every week **OR**  
☐ Increase by \_\_\_\_\_ mcg, every \_\_\_\_\_ week(s) / day

**NDC(s) Prescribed**  
 SP will dispense the prescribed dose per labeled NDC combinations.

**Included NDCs in this prescription:**

26.5 mcg	(72964-011-01)
53 mcg	(72964-012-01)
79.5 mcg	(72964-013-01)
106 mcg	(72964-014-01)

### NURSING ORDERS

SP home health nurse visit(s) to teach and assess the self-administration of YUTREPIA, including dosing, titration, and side effect management.

☐ Decline Nursing Services

### PRESCRIBER ATTESTATION

The undersigned, as treating physician, attests that:

- (i) I understand and agree that the sole purpose of this prescription (and the subsequent dispense of the medication) under Liquidia's Voucher Program is solely to clinically evaluate the medication's safety and tolerability in order to determine if it is the right treatment choice for the patient.
- (ii) I understand that patients are limited to one (1) free 28-day supply of YUTREPIA per lifetime under Liquidia's Voucher Program. Accordingly, I understand that should I and the patient determine that YUTREPIA is a good choice for the patient, I will need to write a new prescription of YUTREPIA for the patient in order to continue treatment.
- (iii) I shall not seek reimbursement for YUTREPIA or any Liquidia medication dispensed to the patient through Liquidia's Voucher Program from any government program or third-party insurer.
- (iv) I understand that any medication to be provided to this patient by Liquidia can only be provided directly to the patient or its authorized caregiver, is provided at no cost and may not be resold or billed to third-party payers, returned for credit or otherwise be placed in the stream of commerce.
- (v) All patient information supplied to Liquidia or its agents, contractors or subcontractors in connection with this enrollment form is accurate and has been obtained pursuant to an appropriate and valid patient authorization allowing for the release, transfer, and use of such information by Liquidia or its agents, contractors and sub-contractors in accordance with State and Federal law.
- (vi) I understand that Liquidia reserves the right to modify or terminate this program at any time as it deems fit, that Liquidia is under no obligation to continue the program and that any decision by Liquidia to modify or terminate this program will not give rise to any liability or obligation for Liquidia.

### STATEMENT OF MEDICAL NECESSITY

I certify that the therapy ordered above is medically necessary and that I am personally supervising the care of this patient.

Prescriber Full Name (print)

Dispense As Written (DAW) / Brand Medically Necessary / No Substitution / May Not Substitute / Do Not Substitute

Substitution Permitted / May Substitute / Product Selection Permitted

**SIGN HERE**

\_\_\_\_\_  
 Prescriber Signature\*

\_\_\_\_\_  
 Prescriber Signature\*

Date

**CA, MA, NC & PR:** Interchange is mandated unless Prescriber writes the words "No Substitution": \_\_\_\_\_

**ATTN: New York and Iowa providers, please submit electronic prescription.**

\*Prescriber attests that this is his/her legal signature.

**NO STAMPS. PRESCRIPTIONS MUST BE FAXED.**

**NOTE:** The responsibility to determine coverage and reimbursement parameters, and appropriate coding for a particular patient and/or procedure, is the responsibility of the provider. The information provided here is not a guarantee of coverage or reimbursement.

Using this cover sheet, fax all pages of the enrollment form, along with the requested clinical documentation, to the Specialty Pharmacy of your choice below.

Date

**TO**

☐ **Accredo Health Group, Inc.**

**FAX 1-800-711-3526**

Phone: 1-866-344-4874

☐ **CVS Specialty**

**FAX 1-877-943-1000**

Phone: 1-877-242-2738

**FROM**

(Name of agent of prescriber transmitting this fax/prescription)

Phone

Facility Name

Fax

**RE**

Patient Name

Date of Birth

**DOCUMENTATION CHECKLIST**

**Indicate all current, signed and dated documents enclosed with this fax.**

- |  |   |
|--|---|
| <input type="radio"/> Completed YUTREPIA Enrollment Form, including:                 | <input type="radio"/> Echocardiogram                  |
| – Patient and Prescriber Information   | <i>(not required for PH-ILD patients)</i>             |
| – Insurance Information*   | <input type="radio"/> 6-minute walk test results      |
| – Standard and/or Voucher Prescription Information                                   | <i>(not required for PH-ILD patients)</i>             |
| – Medical Information/Patient Evaluation   | <input type="radio"/> History and physical, including |
| <input type="radio"/> Copy of front and back of patient's insurance card(s)*         | onset of symptoms, clinical signs                     |
| <input type="radio"/> Right heart catheterization                                    | and symptoms and course of illness                    |
| <input type="radio"/> High-resolution CT scan <i>(not required for PAH patients)</i> | <input type="radio"/> Need for specific drug therapy  |

\*Only required if requesting a Standard Rx

**Comments:**